Laser Focus World index: Jan. 1990–Dec. 1990*

CATEGORIES

■ **Companies and Markets**
Laser
Optics
Fiberoptics
Electronic Imaging
General

■ **Conferences**

■ **Electronic Imaging**
Detectors and sensors
Displays
Image processing
Systems and applications

■ **Fiberoptics**
Components
Research
Systems

■ **Laser Applications**
Biomedical
Chemistry and spectroscopy
Fusion
Holography
Material processing
Aerospace and military
Optical data storage
Test instrumentation

■ **Lasers**
Components, instrumentation, and materials
Design and operation
Research

■ **Optics**
Components, instrumentation, and materials
Design and fabrication
Research
Software

■ **Other Electro-Optics**

■ **Optical Computing Newsletter**

*This index includes all contributed articles and major news stories published from January through December 1990. The items are arranged by category and, within each category, in order by month of issue.—Ed.

■ COMPANIES AND MARKETS

Laser
1990 world review and forecast of laser markets, D. Kales, Jan., p. 83.
New laser-technology opportunities emerging at the NIH, P. Speser and M. Wood, Feb., p. 17.
How to get your laser supplier to work for you, G. K. Klauminzer, Mar., p. 15.
Changes mark French laser industry, R. Roux, Apr., p. 21.
Medical-laser industry needs market focus, M. Moretti, Apr., p. 95.
Sun shines on Japan's market for industrial CO_2 lasers, J. Nagasawa, May, p. 185.
Laser production showed strong growth in 1989 in Japan, J. Nagasawa and P. Mortensen, June, p. 85.
Diode lasers make gains in Japanese markets, P. Mortensen, July, p. 67.
Tool show attracts industrial-laser suppliers, D. A. Belforte, Aug., p. 101.

Optics
Optics industry looks to commercial markets for survival, D. Kales, Oct., p. 121.

Fiberoptics
Fiberoptics research supports Japanese telecom expansion, P. Mortensen, June, p. 91.
The future looks bright for fiber-optics, J. Fulenwider, Dec., p. 141.

Electronic Imaging
Detector industry faces uncertain times, D. Kales, Nov., p. 121.

General
Are there market opportunities for electrooptics companies in Eastern Europe?, P. Speser and D. Speser, Mar., p. 17.
LF World recognizes commercial technology achievements, Jan., p. 120.
Is there a role for smaller, technical companies in Europe after 1992?, R. Lynch, Feb., p. 15.
Slowing economy and defense cutbacks chill E-O employment market, H. Rudzinsky, Sept., p. 135.

■ CONFERENCES

Birmingham meeting looks at E-O frontiers, B. Dance, Jan., p. 36.
OFC '90 highlights active fiberoptic devices, H. W. Messenger, Jan., p. 155.
Conference reviews progress in optical communication, Apr., p. 36.
OFC brings news of coherent communications, F. Dawson, Apr., p. 167.
Renaissance for solid-state lasers continues, May, p. 32.
Manchester hosts combined medical-laser meeting, B. Dance, May, p.53.
SID 1990 focuses on HDTV, Y. A. Carts, May, p. 84.
CCDs show new capabilities, May, p. 97.
Lasers move into the spotlight at CLEO, H. W. Messenger, May, p. 115.
Laser-based physical studies permeate IQEC, H. W. Messenger, May, p. 137.
Netherlands meeting highlights adaptive optics, June, p. 51.
Spotlight shines on photonic devices, W. J. Tomlinson, June, p. 155.
OEC '90 organizers promise "international event", P. Mortensen, June, p. 158.
EOLI exhibits advanced lasers, B. Dance, July, p. 28.
Speakers report PtSi and other detector advances, A. R. Tebo, July, p. 51.
ILDC '90 highlights diffractive optics, Y. A. Carts, Aug., p. 66.
Laser science expands, J. G. Eden, Aug., p. 32.
CLEO '90 reflects refined technology, cautious spending, H. W. Messenger and Y. A. Carts, Aug., p. 42.
OPTCON helps put optics to work, Aug., p. 65.
Visible powers rise at InterOpto '90, G. T. Forrest, Sept., p. 25.
Visible diodes power optical data storage, G. T. Forrest, Sept., p. 46.
Tokyo exhibitors present fiberoptic sources and accessories, G. T. Forrest, Sept., p. 145.
Fiberoptics diversifies at OE/FIBERS '90, H. W. Messenger, Sept., p. 145.
OPTCON '90 heralds progress in lasers and optics, H. W. Messenger, Oct., p. 39.
Conference spans research in nonlinear optics, I-C. Khoo, Oct., p. 51.
Fiber shines at OEC '90 conference, G. T. Forrest, Oct., p. 169.
Optoelectronics is "hot" at OPTCON '90, H. W. Messenger, Oct., p. 169.
Photophysics, spectroscopy, and biomedical research top Soviet meetings, B. Hudson, Nov., p. 30.
Optical technologies present new solutions at DISKCON '90, G. T. Forrest,

Laser Focus World index: Jan. 1990–Dec. 1990*

CATEGORIES

■ **Companies and Markets**
Laser
Optics
Fiberoptics
Electronic Imaging
General

■ **Conferences**

■ **Electronic Imaging**
Detectors and sensors
Displays
Image processing
Systems and applications

■ **Fiberoptics**
Components
Research
Systems

■ **Laser Applications**
Biomedical
Chemistry and spectroscopy
Fusion
Holography
Material processing
Aerospace and military
Optical data storage
Test instrumentation

■ **Lasers**
Components, instrumentation, and materials
Design and operation
Research

■ **Optics**
Components, instrumentation, and materials
Design and fabrication
Research
Software

■ **Other Electro-Optics**

■ **Optical Computing Newsletter**

*This index includes all contributed articles and major news stories published from January through December 1990. The items are arranged by category and, within each category, in order by month of issue.—Ed.

■ COMPANIES AND MARKETS

Laser
1990 world review and forecast of laser markets, D. Kales, Jan., p. 83.
New laser-technology opportunities emerging at the NIH, P. Speser and M. Wood, Feb., p. 17.
How to get your laser supplier to work for you, G. K. Klauminzer, Mar., p. 15.
Changes mark French laser industry, R. Roux, Apr., p. 21.
Medical-laser industry needs market focus, M. Moretti, Apr., p. 95.
Sun shines on Japan's market for industrial CO_2 lasers, J. Nagasawa, May, p. 185.
Laser production showed strong growth in 1989 in Japan, J. Nagasawa and P. Mortensen, June, p. 85.
Diode lasers make gains in Japanese markets, P. Mortensen, July, p. 67.
Tool show attracts industrial-laser suppliers, D. A. Belforte, Aug., p. 101.

Optics
Optics industry looks to commercial markets for survival, D. Kales, Oct., p. 121.

Fiberoptics
Fiberoptics research supports Japanese telecom expansion, P. Mortensen, June, p. 91.
The future looks bright for fiber-optics, J. Fulenwider, Dec., p. 141.

Electronic Imaging
Detector industry faces uncertain times, D. Kales, Nov., p. 121.

General
Are there market opportunities for electrooptics companies in Eastern Europe?, P. Speser and D. Speser, Mar., p. 17.
LF World recognizes commercial technology achievements, Jan., p. 120.
Is there a role for smaller, technical companies in Europe after 1992?, R. Lynch, Feb., p. 15.
Slowing economy and defense cutbacks chill E-O employment market, H. Rudzinsky, Sept., p. 135.

■ CONFERENCES

Birmingham meeting looks at E-O frontiers, B. Dance, Jan., p. 36.
OFC '90 highlights active fiberoptic devices, H. W. Messenger, Jan., p. 155.
Conference reviews progress in optical communication, Apr., p. 36.
OFC brings news of coherent communications, F. Dawson, Apr., p. 167.
Renaissance for solid-state lasers continues, May, p. 32.
Manchester hosts combined medical-laser meeting, B. Dance, May, p.53.
SID 1990 focuses on HDTV, Y. A. Carts, May, p. 84.
CCDs show new capabilities, May, p. 97.
Lasers move into the spotlight at CLEO, H. W. Messenger, May, p. 115.
Laser-based physical studies permeate IQEC, H. W. Messenger, May, p. 137.
Netherlands meeting highlights adaptive optics, June, p. 51.
Spotlight shines on photonic devices, W. J. Tomlinson, June, p. 155.
OEC '90 organizers promise "international event", P. Mortensen, June, p. 158.
EOLI exhibits advanced lasers, B. Dance, July, p. 28.
Speakers report PtSi and other detector advances, A. R. Tebo, July, p. 51.
ILDC '90 highlights diffractive optics, Y. A. Carts, Aug., p. 66.
Laser science expands, J. G. Eden, Aug., p. 32.
CLEO '90 reflects refined technology, cautious spending, H. W. Messenger and Y. A. Carts, Aug., p. 42.
OPTCON helps put optics to work, Aug., p. 65.
Visible powers rise at InterOpto '90, G. T. Forrest, Sept., p. 25.
Visible diodes power optical data storage, G. T. Forrest, Sept., p. 46.
Tokyo exhibitors present fiberoptic sources and accessories, G. T. Forrest, Sept., p. 145.
Fiberoptics diversifies at OE/FIBERS '90, H. W. Messenger, Sept., p. 145.
OPTCON '90 heralds progress in lasers and optics, H. W. Messenger, Oct., p. 39.
Conference spans research in nonlinear optics, I-C. Khoo, Oct., p. 51.
Fiber shines at OEC '90 conference, G. T. Forrest, Oct., p. 169.
Optoelectronics is "hot" at OPTCON '90, H. W. Messenger, Oct., p. 169.
Photophysics, spectroscopy, and biomedical research top Soviet meetings, B. Hudson, Nov., p. 30.
Optical technologies present new solutions at DISKCON '90, G. T. Forrest,

Nov., p. 49.
Detector growth will be in IR arrays, B. Dance, Nov., p. 49.
Light shines on integrated optics, couplers, and switches, H. W. Messenger, Nov., p. 161.
Slimmer, trimmer OE/LASE will kick off new decade, T. V. Higgins, Dec., p. 25.
Regional conference taps rich lode in optics research, B. S. Hudson, Dec., p. 41.
Researchers describe fiber-measurement techniques, P. S. Lovely, Dec., p. 129.

■ ELECTRONIC IMAGING

Detectors and sensors
New technology enhances image acquisition, I. P. Csorba, Jan., p. 149.
InGaAs fills IR niche, A. R. Tebo, Feb., p. 40.
Arrays and superlattices expand detector options, A. R. Tebo, Mar., p. 125.
Photomultipliers adapt to photon-correlation spectroscopy, L. A. Evangelist, May, p. 203.
CCDs shine for Raman spectroscopy, A. Campion and S. S. Perry, Aug., p. 113.
MQW device detects FIR radiation in subnanoseconds, B. Dance, Nov., p. 52.
Commercial detectors see the light, H. W. Messenger, Nov., p. 133.

Displays
Video projector uses LCD panels, P. Mortensen, Jan., p. 62.
Media Lab develops holographic video, Y. A. Carts, May, p. 95.
Gray scale enhances plasma displays, Y. A. Carts, July, p. 49.
CRTs project high-definition television pictures, D. Gibilini and W. R. House, Sept., p. 125.
CdSe switches active-matrix LCDs, B. Dance, Nov., p. 59.

Image processing
Streak cameras capture x-ray laser emissions, G. L. Stradling, May, p. 215.

Systems and applications
Imaging enhances corneal sculpting, A. Parthum, Mar., p. 56.
Camera stores images on chips, P. Mortensen, Apr., p. 72.
AFM images atoms to micrometers, L. Belleville, May, p. 79.
DoE develops laser-based flow-imaging system using a MLV, H. W. Messenger, May, p. 86.
Imager finds microelectronic hot spots, R. J. Stetson and J. S. Shapiro, June, p. 115.
Fluorescence monitors engine combustion, U. Brinkmann, July, p. 50.
Computer hardware and software adapt to image-processing needs, J. E. Gold, Oct., p. 153.
Fast lidar system uses analog sampling arrays, R. S. Larsen, Nov., p. 153.

■ FIBEROPTICS

Components
Coatings affect fiber performance in smart-skin sensing, E. H. Urruti and J. F. Wahl, Jan., p. 165.
Japanese groups continue sensor research, Jan., p. 156.
Special profile nulls fiber dispersion at two wavelengths, L. M. Holmes, Feb., p. 121.
PICs picked for telecommunication, H. W. Messenger, Apr., p. 163.
Semi-automated technique produces multiport couplers, L. Belleville, Apr., p. 165.
Diode laser tunes over 60 nm, H. W. Messenger, May, p. 227.
Fiber gyro survives space flight, May, p. 229.
Couplers and WDMs have a bright future in fiberoptic systems, Y. A. Carts, May, p. 241.
Erbium-doped-fiber amplifiers hit the market, Y. A. Carts, July, p. 149.
Laser module meets SONET standards, H. W. Messenger, July, p. 149.
French phone company integrates laser and transistor, B. Dance, July, p. 150.
Optoelectronic integration supports optical systems, O. Wada, July, p. 157.
British exhibition highlights components, B. Dance, Aug., p. 135.
Connector suppliers set sights on rapid installation, L. Resnick, Aug., p. 149.
Epoxy-free design permits one-minute terminations, K. Bowes, Aug., p. 157.
Connector designs simplify field installations, M. de Jong, Aug., p. 165.
Fiberoptic sources and detectors come of age, T. V. Higgins, Nov., p. 173.
Diode lasers meet developing communications needs, T. V. Higgins, Dec., p. 155.
Semiconductor laser sets speed record, E. D. Jungbluth, Dec., p. 131.

Research
Diode-pumped amplifier serves in 100-km link, B. Dance, Jan., p. 156.
Fiber amplifier uses Kerr effect, B. Dance, Jan., p. 158.
Fiber delivers 248-nm light, B. Dance, Mar., p. 161.
Excimer laser marks $LiNbO_3$ for fiberoptic devices, H. W. Messenger, May, p. 227.
Sharp invests in optoelectronics research, H. W. Messenger, May, p. 229.
"Electron gas" offers microtransistors for GaAs OEICs, U. Brinkmann, Aug., p. 135.
Diode laser mode-locks Er fiber source, B. Dance, Sept., p. 150.
Erbium-doped fiber makes promising amplifiers, P. C. Becker, Oct., p. 197.

Systems
AM systems bring fiber to cable television, F. Dawson, Feb., p. 129.
Multiplexing eases interconnects on parallel processor, Y. A. Carts, Mar., p. 161.

CALCITE POLARIZERS



Glan-Laser • Wollaston • Glan-Taylor • Glan-Thompson • Ultraviolet Glan-Thompson. Optics are manufactured in our Mt. Prospect facility and undergo intensive testing to assure the highest possible quality. Shown are just a few of our full line of Polarizers with beam deviations as low as a few seconds of arc available. We also offer CaF_2, MgF_2, TiO_2 and SiO_2, etc. Prisms and Polarizers to meet your specifications.

ZETA INTERNATIONAL CORPORATION
101 S. Pine Street • Mt. Prospect, IL 60056
Telephone: (708) 398-4542
FAX: (708) 398-0194

CIRCLE NO. 148

For answers to light regulating problems, ask the pioneer. Ask...METAVAC

Metavac pioneered the development of Thin Film Coatings for electro-optics over 40 years ago. Since then, as one of the leaders in the field, we have solved some of the most complex light regulating problems for industry and government by improving the viewability of today's display systems.

Many coatings and filters we produce are custom made for specific military or industrial environments.

We could have the filter or coating necessary to control your light or energy problem.

Call Metavac today...for literature or information on the following coatings.

- High Efficiency Reflection Reducing Coatings
- Transparent Conductive Coatings
- Contrast Enhancement Filters
- Conductive Heater Coatings for 1.06 Windows
- Anti-Reflection Coatings for 1.06 Windows
- Gradient Neutral Density Filters
- Dichroic Coatings, etc.
- ANVIS Compatable Filters

METAVAC INC.
45-68 162nd Street, Flushing, NY 11358
(718) 445-0400 Fax: (718) 358-5714

Thin Film Coatings for Optics and Electronics

190 CIRCLE NO. 149

■ LF WORLD 1990 INDEX

Nine-building facility showcases fiber, M. Hendricks, Mar., p. 161.
System will test fiber to the home, B. Dance, Mar., p. 165.
Inspection and testing support automated laser production, J. Ure and P. Jones, Mar., p. 171.
Prefocused optics simplify fiberoptic laser-beam delivery, D. Pointer, Mar., p. 177.
Optical heterodyne communication systems move to the field, R. A. Linke, Apr., p. 175.
Coherent field trial operates on 200-km link, B. Dance, May, p. 230.
Fiberoptic ribbon cables connect LANs, B. Dance, May, p. 234.
Users adopt FDDI, hesitate on fiber to the desk, M. Fahey, June, p. 155.
Fly-by-light schemes move into demonstration stage, W. L. Glomb, Jr., June, p. 167.
FDDI meets practical datacom needs, G. Kim, Sept., p. 157.
New era dawns for peripheral channels, R. Cummings, Sept., p. 165.
Er amplifier tested in undersea cable, B. Dance, Oct., p. 171.
Test thoroughly to get good network performance, A. B. Kasiewicz, Oct., p. 179.

■ LASER APPLICATIONS

Biomedical
Ophthalmologists choose excimers for corneal sculpting, M. Moretti, Jan., p. 28.
French develop "four-in-one" PDT laser, R. Roux, Mar., p. 95.
Holmium laser treats glaucoma patients, Y. A. Carts, June, p. 40.
Laser "tweezers" manipulate cells, G. T. Forrest, Nov., p. 25.
Excimer lasers investigate DNA repair, B. Dance, Nov., p. 25.
CVLs enhance photochemical studies, B. Dance, Nov., p. 28.
Excimer lasers bite into dental caries, R. Roux, Nov., p. 32.

Chemistry and spectroscopy
Laser selects metal microparticle size, U. Brinkmann, Jan., p. 46.
Lasers add to selectivity of spectroscopic instrumentation, B. S. Hudson, Feb., p. 85.
Spectrometer reveals very-low-frequency bands in superlattices, H. W. Messenger, Mar., p. 25.
HTS exploits multiplex advantages for Raman studies, H. W. Messenger, May, p. 62.
HeCd laser monitors compound semiconductor growth, P. Mortensen, June, p. 30.

Fusion
Excimer could be laser of choice for next-generation ICF driver, D. C. Cartwright, J. Figueira, T. E. McDonald, A. Hauer, and D. Harris, Mar., p. 103.
Ruby, alexandrite lasers serve in fusion research, B. Dance, Apr., p. 32.

Holography
New goggles provide better night vision, R. Roux, May, p. 82.

Material processing
Pulse shaping moves into electronics processing, G. T. Forrest, Mar., p. 32.
Excimer system marks wires, B. Dance, Mar., p. 44.
Lasers are proving cost-effective in electronics production, G. T. Forrest, May, p. 161.
Shaped pulses bond leads for TAB, June, p. 27.
Laser ablation serves materials deposition, G. T. Forrest, July, p. 27.
Commercial slab laser cuts better than conventional YAGs, U. Brinkmann, Aug., p. 27.
Compact Nd:YAG laser system welds copper with ease, G. T. Forrest, Sept., p. 30.
Laser performs high-speed tape duplication, G. T. Forrest, Oct., p. 42.
Optical-scanner design impacts rapid laser prototyping, D. S. Wu, Nov., p. 99.
Lasers prove integral to desktop manufacturing, Y. A. Carts, Dec., p.32.

Aerospace and military
LATEX program stretches French military expertise, R. Roux, Mar., p. 26.
CO_2 lasers serve in advanced remote-sensing studies, Y. A. Carts, Oct., p. 71.
LITE qualifies laser transmitter for space, H. W. Messenger, Nov., p. 33.

Optical data storage
Users like rewritable optical disk drives, E. S. Rothchild, Feb., p. 101.

Test instrumentation
Calibrated LEDs serve as power standards, Mar., p. 28.
Lasers analyze combustion products, B. Dance, July, p.40.
Laser interferometry operates at submicrometer level, C. R. Steinmetz, July, p. 93.

■ LASERS

Components, instrumentation, and materials
Device lengthens laser pulses, B. Dance, Jan., p. 50.
Temperature-stabilized cathode increases flashtube life, B. Dance, Feb., p. 32.
Direct frequency approaches impact wavelength meters, J. J. Snyder and T. W. Hänsch, Feb., p. 69.
How does your power/energy meter measure up?, B. Feuerstein, Mar., p. '11.
Modulators and Q-switches serve variety

of laser applications, G. A. Mourou, Apr., p. 109.
EO devices make good amplitude and phase modulators, J. M. Hertier, Apr., p. 113.
New materials and designs are improving AO devices, E. H. Young, Apr., p. 123.
Meter charts multimode laser beams, May, p. 29.
Beam analyzer automates calculations, May, p. 58.
M^2 concept characterizes beam quality, T. F. Johnston Jr., May, p. 173.
CO oxidation catalysts lead longer lives, Y. A. Carts, June, p. 34.
EOLI exhibits advanced lasers, B. Dance, July, p. 28.
Miniature Q-switches fit DPYs, B. Dance, Sept., p. 36.
Devices with OPOs take on a practical look, H. W. Messenger, Oct., p. 30.
Dye outperforms Rhodamine 6G in pulsed tunable lasers, T. V. Higgins, Oct., p. 25.
Advanced materials aid parametric oscillator development, C. L. Tang, W. R. Bosenberg, T. Ukachi, R. L. Lane, and L. K. Cheng, Oct., p. 107.
Forsterite laser tunes in near-IR, V. Petricevic, A. Seas, and R. R. Alfano, Nov., p. 109.
Film sees the UV for laser-beam profiles, G. Davis, Nov., p. 117.
CARS experiment analyzes beam quality, G. R. Holtom, Dec., p. 99.
World laser review: focus is on diode and solid-state lasers, H. W. Messenger and Y. A. Carts, Dec., p. 55.

Design and operation

Tunable sapphire and dye lasers get together. Jan., p. 7.
Pulsed YAG emits four wavelengths, G. T. Forrest, Jan., p. 27.
Ti:sapphire laser emits ps pulses, B. Dance, Jan., p. 34.
Ion laser offers active stabilization, G. T. Forrest, Jan., p. 48.
CW diode lasers supply powerful photon fluxes, G. T. Forrest, Jan., p. 113.
Raman amplifier combines laser beams efficiently, B. Dance, Feb., p. 25.
Scientific dye lasers employ a variety of technologies, Y. A. Carts, Feb., p. 57.
Researchers make visible compact laser sources, G. T. Forrest, Apr., p. 27.
Direct diode doubling reaches 10% efficiency, G. T. Forrest, Apr., p. 46.
Researchers try microwave excitation of industrial CO_2 laser, U. Brinkmann, Apr., p. 50.
Optical biasing obviates gyro dither, B. Dance, Apr., p. 54.
Metal-vapor lasers display versatility, H. W. Messenger, Apr., p. 87.
Slab lasers move to increase power, S. Basu, R. L. Byer, and J. R. Unternahrer, Apr., p. 131.
Diode-pumped lasers demonstrate new capabilities, G. T. Forrest, May, p. 39.

TAKE A CLOSER LOOK.

- *Improved Stability*
- *Eight Basic Models*
- *Custom Modifications Available*
- *Same Day Shipping*

Request Our New 1991 Catalog

THORLABS INC *SALES: 201-579-7227*
FAX: 201-383-8406

CIRCLE NO. 143

Use the Model PAR100 by itself or with your standard lock-in amplifier to make precise high frequency measurements.

LOCK-IN AMPLIFIER USERS: EXTEND YOUR FREQUENCY RANGE



$7485.00

IEEE-488 Interface $495.00

- Two-channel, low phase noise frequency synthesizer
- Wide band, low noise differential & single ended input amplifiers with selectable input impedances
- Low distortion signal mixers
- User selectable output filters
- Five different frequency conversion modes
- Auto tracking and auto setting of output frequency
- Connectors provided to extend frequency range with external signal source

Palo Alto Research
4074 Fabian, Suite 4
Palo Alto, CA 94303
(415) 494-7000
FAX (415) 494-7034

FRANCE: Optilas (1) 60.79.59.00
GERMANY: Spectroscopy 08105/5011
ISRAEL: Isramex 03 243333
TAIWAN: Titan (02) 735-5660

CIRCLE NO. 309

AFFORDABLE AUTOMATION

Accurate production qualified modules for assembly, cutting, dispensing, inspection, etc.



Three Axis Gantry Positioners

$3189*

☐ Stepper* or Servo driven

☐ Five sizes: 10" x 16" x 4" to 48" x 48" x 4"

Two Axis X/Y Tables

$1870



☐ Stroke lengths from 4" x 4" to 48" x 48"

Narrow Profile Linear Positioning Tables $829

☐ Max. static load 200 lbs.

☐ Up to 30"/sec. travel with fast helix screw

☐ Stroke lengths from 10" to 49"

Single Axis Positioning Tables

$649



☐ Stroke lengths from 4" to 48"

Rotary Table

$1995



☐ 5" diameter versatile mounting surface

☐ Very high load capacity

All positioning components are provided with anti-backlash ball screw drives, recirculating linear bearings and T-slots in all mounting surfaces. Stepper*, servo or manual drives and dustcovers are available. Repeatability and accuracy is .0004" per inch.

Prices shown reflect shortest travel length and includes stepper drive.

Call for your FREE 64 page Techno catalog TI-832 today.

Techno isel U.S.A. Division

2101 Jericho Turnpike
New Hyde Park, New York 11040
(516) 328-3970 Fax: 516-326-8827

FOR IMMEDIATE APPLICATION CIRCLE NO. 150
FOR FUTURE REFERENCE CIRCLE NO. 201
See us at Booth 221
National Design Engineering Show

■ LF WORLD 1990 INDEX

Semiconductors preionize pulsed HF lasers, B. Dance, May, p. 46.
Surface-emitting lasers reach R&D threshold, J. Jewell, May, p. 151.
CO laser progresses, June, p. 28.
Nd:YAG lases CW at two wavelengths simultaneously, Y. A. Carts, June, p. 42.
Solid-state lasers tune into diverse applications, H. W. Messenger, June, p. 69.
Ruby lasers shine on, Y. A. Carts, July, p. 83.
Solid-state lasers develop new capabilities, H. W. Messenger, Aug., p. 81.
Applications mark progress for excimer lasers, H. W. Messenger, Sept., p. 71.
Frequency-doubling schemes turn CW DPLs into visible sources, G. J. Dixon, Sept., p. 99.
Laser designers eye petawatt power, C. Sauteret, G. Mainfray, and G. Mourou, Oct., p. 85.
Ti:sapphire lasers reach high energies, Y. A. Carts, Nov., p. 36.
Green light is on for ion lasers, H. W. Messenger, Nov., p. 85.

Research
Nd:YAG waveguide lases, B. Dance, Mar., p. 38.
Diode-pumped Nd:YAG lases at 946 nm, B. Dance, Mar., p. 42.
British suppliers develop new lasers, B. Dance, Mar., p. 81
Despite funding limits, West German laser research moves forward, U. Brinkmann, Mar., p. 89.
Italian national project pursues E-O technologies, Mar., p. 99.
Ultrafast dye generates tunable UV pulses, B. Dance, Apr., p. 48.
Frequency-shifted OPO tunes in visible, H. W. Messenger, July, p.27.
Nonlinear scheme yields tunable VUV light, B. Dance, Nov., p. 40.
UV waveguide laser pumps dye laser, Dec., p. 25.

■ OPTICS

Components, instrumentation, and materials
Very Large Telescope promises impressive performance, R. Roux, Jan., p. 57.
Ultrahigh-vacuum processing yields ultrahigh-quality coatings, K. L. Lewis, Jan., p. 127.
Holography system provides flexibility, B. Dance, Mar., p. 64.
CVD silicon carbide emerges as an optical material, L. Bellevlle, Apr., p. 67.

NONDESTRUCTIVE RAPID SURFACE ANALYSIS

Custom Scatterometers For Characterizing:

- microelectronics materials
- storage media
- optics



Also:
Measurement Services Availible

Sandia Systems, Inc.
13423 Desert Hills NE
Albuquerque, NM 87111
(505) 294-1040

CIRCLE NO. 151

HIGH POWER *PULSED* DIODE DRIVER

Test and characterize high power pulsed laser diodes and arrays with DEI's Laser Diode Driver.

FEATURES

- Pulse width, frequency & amplitude agility
- Power supply
- Trigger generator
- Instrument quality current monitor

SPECIFICATIONS

- Current: 10-100A
- Rise time: <20ns
- Power: 0-25W
- Pulse width: 75ns-3μs
- PRF: single shot to 30KHz

Call: **(303) 493-1901**

DEI

Directed Energy, Inc.
2301 Research Blvd., Suite 101
Fort Collins, Colorado 80526
303/493-1901 FAX 303/493-1903

CIRCLE NO. 152

Computer-generated holograms test aspheric optics, E. J. Danielewicz and D. Seman, Apr., p. 143.
Photometer monitors film thickness during optical coating, A. Zöller, M. Boos, R. Herrmann, W. Klug, and W. Lehnert, Apr., p. 149.
High-speed image processor works in optical domain, P. Mortensen, June, p. 52.
Understanding supports progress in damage resistant coatings, A. H. Guenther and J. K. McIver, June, p. 103.
Zone plates diffract kilowatt-power CO_2 laser beams, B. Dance, July, p.49.
Positioning industry targets size, speed, and cost in the 1990s, L. Belleville, July, p. 113.
Linear position sensors meet system requirements, B. Hassler, July, p. 133.
US device plays role in Soviet space experiment, L. Resnick, Aug., p. 65.
Damage-resistant coatings improve as techniques advance, L. Belleville and L. Resnick, Sept., p. 45.
NLO materials display superior performance, C. L. Tang, W. R. Bosenberg, T. Ukachi, R. J. Lane, and L. K. Cheng, Sept., p. 87.
Data storage card competes with CD ROMs, Y. A. Carts, Oct., p. 52.
Thin- and thick-film diamond goes commercial, Y. A. Carts, Dec., p. 41.
How to avoid contamination problems in CO_2 laser optics, D. J. Scatena and G. L. Herrit, Dec., p. 117.

Design and fabrication
Blocking filters protect eyes in laser applications, W. E. Kienzle, Jan., p. 135.
Low temperature sputtering enhances optical coatings, G. T. Forrest, Jan., p. 58.
Processing developments support optical coating applications, L. Belleville, Jan., p. 124.
Optical coating systems adopt advanced technology, L. M. Holmes, Feb., p. 39.
Diamond turning achieves nanometer smoothness, D. H. Youden, Feb., p. 105.
Computers close the loop in lens design and manufacture, D. W. Kuntz and D. Stephenson, Mar., p. 147.
X-ray satellite relies on smooth mirrors, L. Belleville, Apr., p. 68.
Creative use of optics makes for better lasers, P. W. Fletcher and W. K. Bischel, July, p. 101.
Coatings yield high UV reflectance on spaceborne optics, T. A. Facey, Aug., p.

Sinusoidal test patterns now available!



Our low-distortion Sinusoidal Test Patterns can make image evaluation more straight-forward and reliable. We can provide you with a wide variety of sizes and formats on either reflecting or transmitting bases with micro-densitometer scans if you need them.

Call us if you have special requirements. We love the challenge of those hard to make items.

SINE PATTERNS

236 Henderson Drive
Penfield, New York 14526
716-248-5338
FAX 716-248-8323 • Telex 510-600-6886

CIRCLE NO. 155

IR-LED's 2.5 – 4.6 µm
IR-LASER's 3.0 – 3.6 µm
Options:
wavelength selection
linear & matrix arrays

HIGH POWER DIODE LASERS
0.8 µm, 0.5 W
1.3 µm, 0.5 W
Options: module incl. thermocooler, photo-diode;
heremtically sealed package;
improved fairfield pattern
(1° normal, 8° parallel)

PORTABLE TUNABLE LASER
0.8 µm, 0.5 W,
tuning range 20 nm, weight 3 kg.

PICOSECOND INJECTION LASER
0.8 µm, 0,5 - 1W, 15 psec pulses
1.3 µm, 0,5 - 1W, 15 psec pulses
Generator:
pulse duration 0,5 – 1 nanosec.

PORTABLE HOLOGRAPHIC CAMERA
Weight 5 kg, dim. 530 x 220 x 130 mm,
hologram size 60 x 60 mm,
wavelength 0.63 µm

TECHNOEXAN – SEMICON
Morellenfeldg. 41,
A-8010 GRAZ/AUSTRIA-EUROPE
TEL: (43) 316 – 38 25 41;
FAX: (43) 316 – 38 24 03
Dealer inquiries are welcome!

CIRCLE NO. 154

Our stabilized HeNe laser just got better

We've been improving our stabilized lasers since we produced the world's first more than 25 years ago. The latest version of our 117A has dramatic performance improvements: power output well over 1mW, frequency stability better than 1MHz, intensity stability below 0.1%, and instantaneous coherence length greater than 6 Km.

Whether you're a research scientist or an OEM you'll also like the 117A's unsurpassed frequency stability in a changing temperature environment, less than 0.5 MHz per °C.

Find out why the 117A is the choice of OEM's and researchers alike. Contact your local Spectra-Physics representative, call us at 800-227-8054, or write to Spectra-Physics, 1250 W. Middlefield Rd., Mountain View, CA 94039-7013.

Model 117A
Stabilized Helium-Neon Laser

Spectra-Physics

CIRCLE NO. 153

BHK has a lamp to meet almost every designer's needs—photometric applications, UV/VIS wavelength standards, petrochemical studies, ozone generation, pollution monitoring, and more. We offer fast delivery on the widest selection of cadmium, zinc, mercury and special phosphor lamps around. We can even create customized lamps. All to OEM specs.

We'd be happy to quote on any order, large or small. Why not give us a call?

LIGHT SOURCE SPECIALISTS

BHK INC

2855 Metropolitan Place
Pomona, California 91767
(714) 593-6590

©1989, BHK, Inc.

CIRCLE NO. 156

■ LF WORLD 1990 INDEX

107.
New technologies fabricate large aspheres, T. J. Wilson, Sept., p. 111.
New process yields designer optics, L. Belleville, Oct., p. 51.
Electrostatic free-electron lasers have many uses, A. Gover, A. Friedman, and A. T. Drobot, Oct., p. 95.

Research
Optical studies investigate QW structures, Y. A. Carts, Aug., p. 68.
Quartz lens serves in UV micromachining, B. Dance, Nov., p. 56.
Optical tracks cross without interferences, B. Dance, Nov., p. 59.

Software
Software analyzes stray light in optical systems, E. R. Freniere, Jan., p. 69.
Spectrometer software speeds data analysis, Y. A. Carts, Feb., p. 49.
Zygo switches to HP computers, Y. A. Carts, Mar., p. 67.
Program designs optical waveguide masks, P. L. Liu, Apr., p. 77.
Conference agenda highlights design advances, G. N. Lawrence, May, p. 101.
Software models complex laser systems, D. R. Neal and W. C. Sweatt, June, p. 59.
Software enables laser stereolithography, Y. A. Carts, July, p. 57.
Optimization and AI take lead at ILDC '90, Y. A. Carts, Aug., p. 71.
Software generates Postscript files of holograms, M. H. Geiser, Sept., p. 51.
Windows enable multitasking in PC-DOS for spectroscopic applications, D. G. Fletcher and R. L. McKenzie, Oct., p. 59.
Microcomputers control ion lasers, J. L. Cannon and P.A. Cornelius, Nov., p. 67.
Lens-design software has wide capability range, T. Nouri and H. Buczek, Nov., p. 73.
User-friendly computer aids optical design, M. Kidger, Dec., p. 47.

■ OTHER ELECTRO-OPTICS
Military R&D continues in critical areas of electro-optics, W. B. Volz, June, p. 129.

■ OPTICAL COMPUTING NEWSLETTER
Volume 3, Number 2, Jan., p. 143.
Volume 3, Number 3, Apr., p. 155
Volume 3, Number 4, Aug., p. 127
Volume 4, Number 1, Oct., p. 163.

Move quickly from design to production.

Quickly bridge the gap between design and production of your imaging system by following a straightforward, "how to" method of choosing a lens that can save you time and money. Call or write today for your ALL NEW! FREE! UKA optics catalog.

UKA

UNIVERSE KOGAKU (AMERICA), INC.
116 AUDREY AVE., OYSTER BAY, N.Y. 11771
(516) 624-2444 • FAX: (516) 624-3109

CIRCLE NO. 157

CAREERS IN OPTICS

You Chose the Right Profession... Now Let Us Help You Find the Right Position

Lasers	R&D
Infrared	Systems Design
Instruments	Lens Design
Fiber Optics	Mfg/Production
Thin Films	Sales/Marketing
Detectors	Optical Fab.
Imagery	Vacuum Coating

We are devoted exclusively to the nationwide recruitment of optical personnel at all levels in all of the above disciplines.

Confidential - No Fee
Please send resume to or call

BILL STARK

ALDEN OPTICAL PERSONNEL
P.O. Box 748, Wilmington, MA 01887
(508) 658-8454

Personnel Agency